

8 5 40 .

1. $y = -\frac{\sqrt{3}}{3}x + 1$

- A $\frac{\pi}{6}$ B $\frac{\pi}{3}$ C $\frac{2\pi}{3}$ D $\frac{5\pi}{6}$

2. $\vec{a} = (x, 1, 1), \vec{b} = (1, y, 1), \vec{c} = (2, -4, 2)$ $\vec{a} \perp \vec{c}, \vec{b} // \vec{c}$ $|\vec{a} + \vec{b}| =$

- A $2\sqrt{2}$ B $\sqrt{10}$ C 3 D 4

3. $ABCD - A_1B_1C_1D_1$ F CD_1 1

- A $\frac{1}{2} - \frac{1}{2}$ B $-\frac{1}{2} - \frac{1}{2}$ C $-\frac{1}{2} \frac{1}{2}$ D $\frac{1}{2} \frac{1}{2}$

4. $\vec{p} \in \{\vec{a}, \vec{b}, \vec{c}\}$ $(1, 2, 3)$ $\vec{p} \in \{\vec{a} + \vec{b}, \vec{a} - \vec{b}, \vec{c}\}$

- A $\left(-\frac{3}{2} \frac{1}{2} 3\right)$ B $\left(\frac{3}{2} -\frac{1}{2} 3\right)$ C $\left(\frac{1}{2} -\frac{3}{2} 3\right)$ D $\left(-\frac{1}{2} \frac{3}{2} 3\right)$

5. O A, B, C $6\vec{OP} = \vec{OA} + 2\vec{OB} + 3\vec{OC}$

- A O A B C B P A B C
 C O P B C D O P A B C

6. $A(2, -3)$ $B(-3, -2)$ l $kx - y - k + 1 = 0$ l AB l k

- A $k \geq \frac{3}{4}$ $k \leq -4$ B $k \geq \frac{3}{4}$ $k \leq -\frac{1}{4}$
 C $-4 \leq k \leq \frac{3}{4}$ D $\frac{3}{4} \leq k \leq 4$




7. MN P 2 $\vec{PM} \cdot \vec{PN}$

- A $[0, 4]$ B $[0, 2]$ C $[1, 4]$ D $[1, 2]$

8. $ABCD - A_1B_1C_1D_1$ M B_1 B_1

M A_1DC_1 x $l = MA_1 + MC_1 + MD$

$l = f(x)$



4 5 20 .

5 0 3 .

9. $l: (a^2 + a + 1)x - y + 1 = 0 \quad a \in \mathbf{R}$

A $a = -1 \quad l \quad x + y = 0$ B $l \quad x - y = 0 \quad a = 0$

C $l \quad (0, 1)$ D $a = 0 \quad l$

10. $\vec{a} = (x_1, y_1, z_1) \quad \vec{b} = (x_2, y_2, z_2)$

A $\vec{a} \perp \vec{b} \quad x_1x_2 + y_1y_2 + z_1z_2 = 0$ B $\vec{a} // \vec{b} \quad \frac{x_1}{x_2} = \frac{y_1}{y_2} = \frac{z_1}{z_2}$

C $\cos \langle \vec{a}, \vec{b} \rangle = \frac{x_1x_2 + y_1y_2 + z_1z_2}{\sqrt{x_1^2 + y_1^2 + z_1^2} \cdot \sqrt{x_2^2 + y_2^2 + z_2^2}}$ D $x_1 = y_1 = z_1 = 1 \quad \vec{a}$

11. $l_1: x - y - 1 = 0 \quad l_2: (k + 1)x + ky + k = 0 (k \in \mathbf{R})$


A $k \quad l_2 \quad 90^\circ$ B $k \quad l_1 \quad l_2$

C $k \quad l_1 \quad l_2$ D $k \quad l_1 \quad l_2$

12. $ABCD - A_1B_1C_1D_1$ 2 4 E DD_1

A $B_1E \perp A_1B$ B $B_1CE // A_1BD$

C $C_1 - B_1CE \quad \frac{8}{3}$ D $C_1 - B_1CD_1$



24

4 5 20 2 3 .

13. $\vec{a}, \vec{b} \quad | |, | |, \quad \vec{a} \quad \vec{b} \quad \frac{\pi}{3} \quad |\vec{a} + \vec{b}| = \underline{\hspace{2cm}}$


14. $l_1: mx + 3y = 2 - m \quad l_2: x + (m + 2)y = 1$

$l_1 \perp l_2 \quad m = \underline{\hspace{2cm}} \quad l_1 // l_2 \quad m = \underline{\hspace{2cm}}$

15. $\alpha \perp \beta \quad \alpha \cap \beta = l \quad A \in l \quad B \in l$

$AC \subset \alpha \quad BD \subset \beta \quad AC \perp l \quad BD \perp l$

$AB = 4 \quad AC = 3 \quad BD = 12 \quad CD = \underline{\hspace{2cm}}$



16. $\vec{e}_1, \vec{e}_2 \quad \vec{e}_1 \cdot \vec{e}_2 = \frac{1}{2}, \quad \vec{b} \quad |\vec{b}| = 2\sqrt{2}, \quad \vec{b} \cdot \vec{e}_1 = 2, \quad \vec{b} \cdot \vec{e}_2 = \frac{5}{2},$

$x, y \in \mathbf{R}, f(x, y) = |\vec{b} - (x\vec{e}_1 + y\vec{e}_2)| \quad \underline{\hspace{2cm}} \quad x + y = \underline{\hspace{2cm}}$

6 70

17 10

12

17. 10 5

A 12, 13, 14, 15, 16

B 15, 16, 17, 14, a

1 A

B

14

$$a = 25$$

a

18. 12 $\triangle ABC$ A, B, C

$$5(a^2 - b^2) = 3bc \quad 5\sin C = 8\sin B$$

$\angle BAC$ BC D

$\angle BAC$

AC = 5 AD


19. 12 ABCD AB // CD AD = BC = AB = 1 CD = 2 E CD

$\triangle ADE$ AE $\triangle APE$

$AE \perp PB$


P - ABCE

A - PE - C




20. 12 $ABCD$ $AD \parallel BC$ $\angle CBD = \angle BDC = \alpha$ $\angle ACD = \beta$.
 $\alpha = 30^\circ$ $\beta = 75^\circ$ $\sqrt{3}AC + \sqrt{2}CD = 5$ AC, CD
 $\alpha + \beta > 90^\circ$ $AB < AD$.

21. 12 $ABCD - A_1B_1C_1D_1$ $ABCD$
 $AB_1 = A_1B_1 = 2AA_1 = 2AC$ $\angle AA_1C_1 = \frac{\pi}{3}$ $A_1C_1 \perp B_1C_1$
 $B_1C_1 \perp AA_1$
 M B_1C_1 AM DA_1C_1



22. 12 $ABCD - A_1B_1C_1D_1$
4 1 $\sqrt{2}$




- E_2F_2 P B_1 $5\sqrt{2}$ $DB_1 \perp D_2EF$
 $D_1D_2 = 3$ P E_2F_2 $P - A_1C_1 - B_1$

1-4 DCAB :5-8 BABC

8.

$AB_1 \parallel CB_1 \parallel AC$ $ABCD - A_1B_1C_1D_1$
 $AD \parallel B_1C_1$ $AD = B_1C_1$ ADC_1B_1
 $DC_1 \parallel AB_1$ $DC_1 \subset A_1DC_1$ $AB_1 \not\subset A_1DC_1$ $AB_1 \parallel A_1DC_1$
 $CB_1 \parallel A_1DC_1$ $AB_1 \cap CB_1 = B_1$ $A_1DC_1 \parallel AB_1C$
 $M \in B_1AC$
 $ABCD - A_1B_1C_1D_1$ 1 A_1B_1CD B_1C_1C



$$0 \leq x \leq \sqrt{2} \quad f(x) = MA_1 + MC_1 + MD = \sqrt{1+x^2} + \sqrt{1+(\sqrt{2}-x)^2} + \sqrt{\left(\frac{\sqrt{2}}{2}\right)^2 + \left(x - \frac{\sqrt{2}}{2}\right)^2}$$

$$f(\sqrt{2}-x) = \sqrt{1+(\sqrt{2}-x)^2} + \sqrt{1+x^2} + \sqrt{\left(\frac{\sqrt{2}}{2}\right)^2 + \left(\sqrt{2}-x - \frac{\sqrt{2}}{2}\right)^2} = f(x)$$

$$f(x) \quad [0, \sqrt{2}] \quad x = \frac{\sqrt{2}}{2}$$

$$f(0) = 2 + \sqrt{3} \quad f\left(\frac{\sqrt{2}}{2}\right) = \sqrt{6} + \frac{\sqrt{2}}{2} \quad f(0) > f\left(\frac{\sqrt{2}}{2}\right)$$

$$f(x) \quad [\sqrt{2}, 2\sqrt{2}] \quad x = \frac{3\sqrt{2}}{2}$$

$$f(x) \quad [2\sqrt{2}, 3\sqrt{2}] \quad x = \frac{5\sqrt{2}}{2} .$$

5

9 AC 10 BD 11 AC 12 CD

13 $\sqrt{7}$ 14 $-\frac{3}{2}$ -3 15 13 16 1 3

16. $\because \mathbf{e}_1 \cdot \mathbf{e}_2 = |\mathbf{e}_1| |\mathbf{e}_2| \cos \langle \mathbf{e}_1, \mathbf{e}_2 \rangle = \cos \langle \mathbf{e}_1, \mathbf{e}_2 \rangle = \frac{1}{2} \therefore \langle \mathbf{e}_1, \mathbf{e}_2 \rangle = \frac{\pi}{3}$

$$\mathbf{e}_1 = \left(\frac{1}{2}, \frac{\sqrt{3}}{2}, 0\right), \mathbf{e}_2 = (1, 0, 0), \vec{\mathbf{b}} = (m, n, t)$$

$$\because \vec{\mathbf{b}} \cdot \mathbf{e}_1 = \frac{1}{2}m + \frac{\sqrt{3}}{2}n = 2, \vec{\mathbf{b}} \cdot \mathbf{e}_2 = m = \frac{5}{2} \therefore m = \frac{5}{2}, n = \frac{\sqrt{3}}{2}, \mathbf{b} = \left(\frac{5}{2}, \frac{\sqrt{3}}{2}, t\right)$$

$$\because |\mathbf{b}| = 2\sqrt{2}, t^2 = 1 \therefore \mathbf{b} - (x\mathbf{e}_1 + y\mathbf{e}_2) = \left(\frac{5}{2} - \frac{1}{2}x - y, \frac{\sqrt{3}}{2} - \frac{\sqrt{3}}{2}x, t\right)$$

$$\therefore f^2(x, y) = |\mathbf{b} - (x\mathbf{e}_1 + y\mathbf{e}_2)|^2 = \left(x + \frac{y-4}{2}\right)^2 + \frac{3}{4}(y-2)^2 + t^2$$

$$= |\mathbf{b} - (x\mathbf{e}_1 + y\mathbf{e}_2)|^2 = \left(x + \frac{y-4}{2}\right)^2 + \frac{3}{4}(y-2)^2 + 1 \therefore x=1, y=2 \quad f^2(x, y) = 1.$$

12

17

5 14 3 $P = \frac{3}{5}$ 3

$a = 25$ 1 A B 25

(12,15) (12,16) (12,17) (12,14) (12,25) (13,15) (13,16)

(13,17) (13,14) (13,25) (14,15) (14,16) (14,17) (14,14) (14,25) (15,15) (15,16)

(15,17) (15,14) (15,25) (16,15) (16,16) (16,17) (16,14) (16,25). 6

(15,14) (16,15) (16,14) 3 7

$P = \frac{3}{25}$. 8

B 14, 15, 16, 17, a

$a = 13$ $a = 18$ A . 10

18

$5 \sin C = 8 \sin B$ $5c = 8b$ $c = \frac{8}{5}b$ 1

$5(a^2 - b^2) = 3bc$ $a^2 - b^2 = \frac{3bc}{5}$. 2

$\cos \angle BAC = \frac{b^2 + c^2 - a^2}{2bc} = \frac{-\frac{3}{5}b \times \frac{8}{5}b + \left(\frac{8}{5}b\right)^2}{2b \times \frac{8}{5}b} = \frac{1}{2}$ 4

$0 < \angle BAC < \pi$ $\angle BAC = \frac{\pi}{3}$. 5

$AC = b = 5$ $c = 8$ $a^2 - 25 = \frac{3}{5} \times 5 \times 8$ $a^2 = 49$ $a = 7$. 7

$\cos C = \frac{5^2 + 7^2 - 8^2}{2 \times 5 \times 7} = \frac{1}{7}$ 8 $\sin C = \sqrt{1 - \left(\frac{1}{7}\right)^2} = \frac{4\sqrt{3}}{7}$. 9

$\angle DAC = \frac{\pi}{6}$ $\sin \angle ADC = \sin\left(\frac{\pi}{6} + C\right) = \sin \frac{\pi}{6} \cos C + \cos \frac{\pi}{6} \sin C = \frac{13}{14}$. 10

$\frac{AC}{\sin \angle ADC} = \frac{AD}{\sin C}$ $AD = \frac{AC \cdot \sin C}{\sin \angle ADC} = 5 \times \frac{4\sqrt{3}}{7} \times \frac{14}{13} = \frac{40\sqrt{3}}{13}$. 12

19

ABCD BD AE O

$AB \parallel CE$ $AB = CE$ ABCE

$AE = BC = AD = DE$ $\triangle AED$

ABCD $\angle C = \angle ADE = \frac{\pi}{3}$ $BD \perp BC$ $BD \perp AE$

$OP \perp AE, OB \perp AE, OP \cap OB = O$ $AE \perp$ POB 4


$PB \subset$ POB $AE \perp PB$ 5

$P-ABCD$ PAE \perp ABCE.

PAE \perp ABCE = AE PO \subset PAE PO \perp AE PO \perp ABCE.

O x y z

$P(0,0,\frac{\sqrt{3}}{2}), E(\frac{1}{2},0,0), C(1,\frac{\sqrt{3}}{2},0)$ 6



$$\overrightarrow{PE} = \left(\frac{1}{2}, 0, -\frac{\sqrt{3}}{2} \right) \quad \overrightarrow{EC} = \left(\frac{1}{2}, \frac{\sqrt{3}}{2}, 0 \right) \quad 7$$

$$\text{PCE} \quad \vec{n} = (x, y, z) \quad \begin{cases} \vec{n} \cdot \overrightarrow{PE} = \frac{1}{2}x - \frac{\sqrt{3}}{2}z = 0 \\ \vec{n} \cdot \overrightarrow{EC} = \frac{1}{2}x + \frac{\sqrt{3}}{2}y = 0 \end{cases} \quad 9$$

$$x = \sqrt{3} \quad y = -1, z = 1 \quad \vec{n} = (\sqrt{3}, -1, 1) \quad \text{PCE} \quad 10$$

$$\text{PAE} \quad \vec{m} = (0, 1, 0) \quad \cos \langle \vec{m}, \vec{n} \rangle = \frac{\vec{m} \cdot \vec{n}}{|\vec{m}| |\vec{n}|} = -\frac{\sqrt{5}}{5}.$$

$$A-PE-C \quad A-PE-C \quad -\frac{\sqrt{5}}{5}. \quad 12$$

20

$$\angle CBD = \angle BDC = 30^\circ \quad \angle ACD = 75^\circ \quad \angle ACB = 45^\circ.$$

$$AD \quad BC \quad \angle ADB = \angle CBD = 30^\circ \quad \angle DAC = \angle BCA = 45^\circ.$$

$$\angle ADC = 60^\circ. \quad 2$$

$$\Delta ACD \quad \frac{AC}{\sin \angle ADC} = \frac{CD}{\sin \angle CAD} \quad \frac{AC}{\sin 60^\circ} = \frac{CD}{\sin 45^\circ}$$

$$AC = \frac{\sqrt{6}}{2} CD. \quad 4$$

$$\sqrt{3}AC + \sqrt{2}CD = 5 \quad AC = \sqrt{3} \quad CD = \sqrt{2}. \quad 6$$

$$\Delta ACB \quad AB = \sqrt{AC^2 + BC^2 - 2AC \times BC \cos \angle ACB}. \quad 7$$

ΔACD

$$AD = \sqrt{AC^2 + DC^2 - 2AC \times DC \cos \angle ACD} = \sqrt{AC^2 + BC^2 - 2AC \times BC \cos \angle ACD}. \quad 9$$

$$\alpha + \beta > 90^\circ \quad \angle ACB = 180^\circ - 2\alpha - \beta$$

$$\angle ACB - \angle ACD = (180^\circ - 2\alpha - \beta) - \beta = 180^\circ - 2(\alpha + \beta) < 0 \quad \angle ACB < \angle ACD \quad 11$$

$$0^\circ < \angle ACB < 180^\circ \quad 0^\circ < \angle ACD < 180^\circ \quad \cos \angle ACB > \cos \angle ACD$$

$$AB < AD. \quad 12$$

21

$$A_1C_1 // AC, A_1C_1 = AC \quad AA_1C_1C$$

$$AA_1 = AC \quad AA_1C_1C \quad \angle AA_1C = \frac{\pi}{3}$$

$$AA_1C \quad 1$$

$$AC_1 \quad AA_1 = 2a \quad AC_1 = 2a, AB_1 = 4a \quad B_1C_1 = \sqrt{A_1B_1^2 - A_1C_1^2} = 2\sqrt{3}a$$

$$AB_1^2 = AC_1^2 + B_1C_1^2 \quad B_1C_1 \perp AC_1 \quad 3$$

$$A_1C_1 \perp B_1C_1, A_1C_1 \cap AC_1 = C_1 \quad B_1C_1 \perp ACC_1A_1 \quad 4$$

$$AA_1 \subset ACC_1A_1 \quad B_1C_1 \perp AA_1 \quad 5$$

$$A_1B_1 \quad E \quad A_1C_1 \quad O \quad OE \quad OE // B_1C_1 \quad OE \perp A_1C_1$$

$$AO \perp A_1C_1 \quad AO \perp B_1C_1 \quad B_1C_1 \cap A_1C_1 = C_1$$


$$AO \perp A_1B_1C_1$$

$$AO = \sqrt{3}a \quad a = 1 \quad O$$

$$\overrightarrow{OA_1}, \overrightarrow{OE}, \overrightarrow{OA} \quad x, y, z$$

$$O-xyz$$

7



$$A_1(1,0,0), C_1(-1,0,0), B_1(-1,2\sqrt{3},0), A(0,0,\sqrt{3}), C(-2,0,\sqrt{3}), M(-1,\sqrt{3},0)$$

$$\overrightarrow{C_1A_1} = (2,0,0), \overrightarrow{AM} = (-1,\sqrt{3},-\sqrt{3}) \quad 8$$

$$\overrightarrow{DC} = \overrightarrow{A_1B_1} = (-2,2\sqrt{3},0), \overrightarrow{C_1C} = (-1,0,\sqrt{3}) \quad \overrightarrow{C_1D} = \overrightarrow{C_1C} - \overrightarrow{DC} = (1,-2\sqrt{3},\sqrt{3}) \quad 9$$

$$DA_1C_1 \quad \vec{n} = (x, y, z) \quad \begin{cases} \vec{n} \cdot \overrightarrow{C_1D} = x - 2\sqrt{3}y + \sqrt{3}z = 0 \\ \vec{n} \cdot \overrightarrow{C_1A_1} = 2x = 0 \end{cases}$$

$$y=1 \quad \vec{n} = (0,1,2) \quad 11$$

$$AM \quad DA_1C_1 \quad \theta$$

$$\sin \theta = \left| \cos \langle \overrightarrow{AM}, \vec{n} \rangle \right| = \left| \frac{0 + \sqrt{3} - 2\sqrt{3}}{\sqrt{5} \times \sqrt{7}} \right| = \frac{\sqrt{105}}{35} \quad 12$$

22

$$PH \perp A_1B_1C_1D_1 \quad H \quad H \quad EF$$

$$PB_1 = \sqrt{PH^2 + HB_1^2} \quad HB_1 \quad PB_1$$

$$HB_1 \quad 4\sqrt{2} - \sqrt{2} = 3\sqrt{2}$$

$$PH = \sqrt{PB_1^2 - HB_1^2} = 4\sqrt{2},$$

$$D \quad \overrightarrow{DA}, \overrightarrow{DC}, \overrightarrow{DD_2} \quad x, y, z$$

$$D(0,0,0), D_2(0,0,1+4\sqrt{2}), E(\sqrt{2},0,1), F(0,\sqrt{2},1), B_1(4,4,1)$$

$$\overrightarrow{DB_1} = (4,4,1), \overrightarrow{EF} = (-\sqrt{2},\sqrt{2},0), \overrightarrow{ED_2} = (-\sqrt{2},0,4\sqrt{2}), \quad 3$$

$$\overrightarrow{DB_1} \cdot \overrightarrow{EF} = -4\sqrt{2} + 4\sqrt{2} + 0 = 0, \overrightarrow{DB_1} \cdot \overrightarrow{ED_2} = -4\sqrt{2} + 0 + 4\sqrt{2} = 0$$

$$DB_1 \perp EF, DB_1 \perp ED_2, \quad EF \subset D_2EF \quad ED_2 \subset D_2EF \quad ED_2 \cap EF = E,$$

$$DB_1 \perp D_2EF \quad 5$$

$$D_1D_2 = 3 \quad A_1(4,0,1), C_1(0,4,1), B_1(4,4,1),$$

$$P(a,b,4) \quad a^2 + b^2 = 2, a \geq 0, b \geq 0 \quad a = \sqrt{2} \cos \theta, b = \sqrt{2} \sin \theta, \theta \in [0, \frac{\pi}{2}]$$

$$a + b = 2\sin(\theta + \frac{\pi}{4}) \in [\sqrt{2}, 2] \quad A_1C_1 = (-4,4,0), A_1P = (a-4,b,3) \quad 6$$

$$PA_1C_1 \quad \vec{n} = (x_1, y_1, z_1) \quad \begin{cases} \vec{n} \cdot \overrightarrow{A_1C_1} = -4x_1 + 4y_1 = 0 \\ \vec{n} \cdot \overrightarrow{A_1P} = (a-4)x_1 + by_1 + 3z_1 = 0 \end{cases}$$

$$x_1 = 1 \quad \vec{n} = (1, 1, \frac{4-a-b}{3}) \quad 8$$

$$A_1B_1C_1 \quad \vec{m} = (0,0,1)$$

$$P - A_1C_1 - B_1 \quad \theta \quad \theta$$

$$\cos \theta = - \left| \cos \langle \vec{m}, \vec{n} \rangle \right| = - \frac{|\vec{m} \cdot \vec{n}|}{|\vec{m}| |\vec{n}|} = - \frac{a+b-4}{\sqrt{2 + (\frac{a+b-4}{3})^2}} \quad 10$$

$$\sin \theta = \sqrt{1 - \cos^2 \theta} = \frac{\sqrt{2}}{\sqrt{2 + (\frac{a+b-4}{3})^2}} \quad \tan \theta = \frac{3\sqrt{2}}{a+b-4} \in \left[-\frac{3\sqrt{2}}{2}, -\frac{6\sqrt{2}+3}{7} \right]$$

$$P - A_1C_1 - B_1 \quad \left[-\frac{3\sqrt{2}}{2}, -\frac{6\sqrt{2}+3}{7} \right]. \quad 12$$

